

---

## Information and recommendations for paramedics and doctors at the site

---

- **Patients exposed only to epichlorohydrin vapor do not pose a significant risk of secondary contamination. Patients whose clothing or skin is contaminated with liquid epichlorohydrin can secondarily contaminate rescue and medical personnel by direct contact or through evaporation of epichlorohydrin.**
  - **Epichlorohydrin can produce eye, skin, and respiratory tract irritation. Signs of pulmonary edema (shortness of breath, cyanosis, expectoration, cough) may evolve 12 hours or more after exposure. Skin reactions may be delayed and may heal very slowly.**
  - **Inhalation and skin contact may result in systemic absorption resulting in headache, nausea, vomiting, abdominal pain, lung, liver, and kidney damage.**
  - **There is no antidote to be administered to counteract the effects of epichlorohydrin. Treatment consists of supportive measures.**
- 

### 1. Substance information

Epichlorohydrin (C<sub>3</sub>H<sub>5</sub>ClO), CAS 106-89-8  
Synonyms: 1-chloro-2,3-epoxypropane, 3-chloro-1,2-epoxypropane, 1-chloropropenoxide, 3-chloropropenoxide.  
Epichlorohydrin is a colorless and flammable liquid at room temperature (boiling point 116°C, 241°F, respectively) with an odor comparable to chloroform. However, dangerous exposures may occur at levels too low to smell. Epichlorohydrin vapor may form an explosive mixture with air and is heavier than air; exposure will be higher in enclosed, poorly ventilated, or low-lying areas. It is slightly soluble in water.  
Epichlorohydrin is used in the manufacture of epoxy and phenoxy resins, glycerol, surface active agents, pharmaceuticals, insecticides, coatings, adhesives, solvents, and other chemicals. It is used as a solvent in the rubber and paper industry.

### 2. Routes of exposure

#### *Inhalation*

**Inhalation is a major route of epichlorohydrin exposure.**

Epichlorohydrin's odor is not a reliable indicator of any level of exposure and provides insufficient warning of hazardous exposure.

#### *Skin/eye contact*

Epichlorohydrin vapor or liquids may be absorbed through the skin and eyes; however, direct contact with epichlorohydrin vapor or concentrated solutions may cause severe chemical burns.

#### *Ingestion*

Involuntary ingestion of epichlorohydrin is unlikely.

### 3. Acute health effects

**Exposure to epichlorohydrin concentrations of more than 10-20 ppm may produce irritation of the eyes, nose, and throat. Concentrations greater than 100 ppm may cause pulmonary edema up to 12 hours or more after exposure.**

Skin contact with epichlorohydrin vapor or liquid may cause irritation with redness of the skin, blistering, itching, and pain. **Skin reactions may be delayed up to 12 hours or more after exposure and may heal very slowly.**

**Epichlorohydrin is a potent skin sensitizer.**

High vapor concentrations or splashes of concentrated solutions can cause tearing and redness of the eye, and corneal injury.

**Both inhalation and skin contact may lead to systemic absorption causing severe headache, nausea, vomiting, abdominal pain, and lung, liver and kidney injury.**

*Dose-effect relationships*

Dose-effect relationships are as follows:

<u>Epichlorohydrin concentration</u>	<u>Effect</u>
1 ppm	- Odor detection
10-20 ppm	- Mild transient mucous membrane irritation
40 ppm	- Burning of eyes, nose, and throat, dyspnea, coughing; symptoms may persist for some days
>100 ppm	- Toxic pneumonitis and pulmonary edema; kidney lesions
Uptake of >50 mg/kg body weight	Potentially lethal

**4. Actions**

*Rescuer self-protection*

**If the zone which has to be entered by the rescuer is suspected of containing epichlorohydrin, pressure-demand, self-contained breathing apparatus and chemical-protective clothing shall be worn.**

Patients exposed only to epichlorohydrin vapor do not pose a significant risk of secondary contamination. Patients whose clothing or skin is contaminated with liquid epichlorohydrin can secondarily contaminate other people by direct contact or through evaporation of epichlorohydrin.

*Patient recovery*

Patients should be removed from the contaminated zone immediately. Patients who are unable to walk may be removed on backboards or stretchers; if these are not available, carefully remove/transport patients with appropriate action to a safe zone, taking into account your self-protection.

*Decontamination*

Immediate priorities must follow the "A, B, C's" of resuscitation. Patients exposed only to epichlorohydrin vapor who have no evidence of skin or eye irritation do not need decontamination. All others require decontamination.

Patients who are able and cooperative may assist with their own decontamination. If the exposure involved liquid epichlorohydrin and if clothing is contaminated, remove and double-bag the clothing.

**Assure that skin and hair exposed to liquid containing epichlorohydrin have been flushed with plain water for at least 15 minutes.** If not, continue flushing during other basic care. Protect eyes during flushing of skin and hair.

**Assure that exposed or irritated eyes have been irrigated with plain water or saline for at least 15 minutes.** If not, continue eye irrigation during other basic care.

Remove contact lenses if present and easily removable without additional trauma to the eye.

*Initial treatment*

Therapy will be empiric; there is no antidote to be administered to counteract the effects of epichlorohydrin.

**All asymptomatic patients potentially exposed to an airborne epichlorohydrin concentration of 40 ppm or more should take 8 puffs of beclomethasone (800 µg beclomethasone dipropionate) from a metered dose inhaler. Thereafter, administration of 4 puffs every 2 hours until arrival at hospital/emergency department.**

**The following measures are recommended if the airborne exposure concentration is 100 ppm or more and/or if patients have respiratory complaints or evidence of systemic toxic effects after inhalation of epichlorohydrin:**

- Administration of oxygen
- Administration of 8 puffs of beclomethasone (800 µg beclomethasone dipropionate) from a metered dose inhaler.

---

**Patients with severe clinical respiratory symptoms (e.g. bronchospasms, stridor) should be treated as follows:**

a) Nebulization of adrenaline (epinephrine): 2 mg adrenaline (2 ml) with 3 ml NaCl 0.9% and inhale through a nebulizer mask.

b) Administration of a  $\beta$ 2-selective adrenoceptor agonist, e.g., four strokes of terbutaline or salbutamol or fenoterol (one stroke usually contains 0.25 mg of terbutaline sulfate; or 0.1 mg of salbutamol; or 0.2 mg of fenoterol); this may be repeated once after 10 minutes. Alternatively, 2.5 mg salbutamol and 0.5 mg atrovent may be administered by nebulizer mask.

If inhalation is not possible, administration of terbutaline sulfate (0.25 mg to 0.5 mg) subcutaneously or salbutamol (0.2 mg to 0.4 mg over 15 minutes) intravenously.

c) Intravenous administration of 250 mg methylprednisolone (or equivalent steroid dose).

**Patients with clinical signs of a toxic lung edema (e.g. foamy sputum, wet crackles) should be treated as follows:**

a) Start CPAP-therapy (Continuous Positive Airway Pressure Ventilation).

b) Intravenous administration of 1000 mg methylprednisolone (or an equivalent steroid dose) is recommended.

**Intubation of the trachea or an alternative airway management should be considered in cases of respiratory compromise. When the patient's condition precludes this, consider cricothyrotomy if equipped and trained to do so.**

Note: Efficacy of corticosteroid administration has not yet been proven in controlled clinical studies.

If epichlorohydrin was in contact with the skin, chemical burns may result; treat as thermal burns: adequate fluid resuscitation and administration of analgesics, maintenance of the body temperature, covering of the burn with a sterile pad or clean sheet.

**After eye exposure, chemical burns may result; treat as thermal burns. Immediately consult an ophthalmologist.**

**Patients exposed to an airborne concentration of 40 ppm or greater or with ingestion of epichlorohydrin as well as patients without available exposure measurements but suspected of being exposed to concentrations of 40 ppm or greater should be transferred to a hospital/emergency department.**

*Patient release/  
follow-up instructions*

Patients who have been exposed to an airborne concentration **less than 40 ppm as well as patients who have a normal clinical examination and no signs or symptoms of toxicity may be discharged after an appropriate observation period in the following circumstances:**

- The evaluating physician is experienced in the evaluation of individuals with epichlorohydrin exposure.
- Information and recommendations for patients with follow-up instructions are provided verbally and in writing. Patients are advised to seek medical care promptly if symptoms develop or recur.
- The physician is comfortable that the patient understands the health effects of epichlorohydrin and the provided follow-up instructions.
- Site medical is notified, so that the patient may be contacted at regular intervals in the 24-hour period following release.
- Heavy physical work should be precluded for up to 24 hours.

- f) Exposure to cigarette smoke should be avoided for 72 hours; the smoke may worsen the condition of the lungs.

Patients who have eye exposures should be reexamined after 24 hours.

In this document BASF has made a diligent effort to ensure the accuracy and currency of the information presented but makes no claim that the document comprehensively addresses all possible situations related to this topic. This document is intended as an additional resource for paramedics or doctors in assessing the condition and managing the treatment of patients exposed to epichlorohydrin. It is not, however, a substitute for the professional judgement of a paramedic or doctor and must be interpreted in the light of specific information regarding the patient available to such a paramedic or doctor and in conjunction with other sources of authority.

**BASF SE**  
Corporate Health Management  
Carl-Bosch-Straße 38  
67056 Ludwigshafen  
Germany

**BASF Corporation**  
Medical Department  
100 Campus Drive, M/S F 221  
Florham Park, NJ 07932  
USA